

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2011 question paper

for the guidance of teachers

9700 BIOLOGY

9700/31

Paper 31 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

Mark scheme abbreviations:

	separates	marking	nointe
,	separates	marking	points

I alternative answers for the same point

R reject

- A accept (for answers correctly cued by the question, or by extra guidance)
- **AW** alternative wording (where responses vary more than usual)
- **<u>underline</u>** actual word given must be used by candidate (grammatical variants excepted)
- max indicates the maximum number of marks that can be given
- ora or reverse argument
- MP marking point (with relevant number)
- ECF error carried forward
- I ignore
- **ACE** Analysis, Conclusions and Evaluation (skills)
- **MMO** Manipulations, Measurement and Observation (skills)
- PDO Presentation of Data and Observations (skills)

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

		Expected Answers	Mark					
1	a (i) Complete Fig. 1.1 to show how you will make <u>two</u> further concentrations of copper sulfate solution [3]							
	[1]	(labels under correct sequence of beakers)						
		0.0003 AND 0.00003;						
		Additional guidance Must have • % once						
33	[1]	(adds copper sulfate solution, C, to both beakers)						
		1 cm ³ of 0.003(%) or shown as arrow (from 0.003 beaker) AND 1 cm ³ (to next beaker);						
MMO decisions		Additional guidance Must have • cm ³ once						
MO		ECF						
Σ		if MP1 incorrect						
	[1]	(adds (distilled) water/W, to both beakers)						
		9 cm ³ (W/water);						
		Additional guidance Must have • cm ³ once ECF for MP3 if MP1 and MP2 incorrect BUT MUST add previous concentration to third and fourth beakers						

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Expected Answers Mark							
	(a) (ii) Prepare the space below and record your observations. [5] Mark in <u>vertical line</u> in order.							
	[1]	table with all cells drawn	AND heading (top or left) percent(age) conc(entration);					
recording 2		Additional guidance	 Can have no outer boundary % solution or copper sulfate % or percentage copper sulfate solution Do not give mark if % in cells of the headed column/row other units e.g. mol dm⁻³ 					
PDO r	[1]	(heading on any one time <u>time</u> with s/sec(onds);	column/row including mean)					
		Additional guidance	 Do not give mark if units in cells of the headed column/row min(utes) additional columns/rows for volumes of water/copper sulfate t or T 					

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

		Expected Answers Mark	
O collection 3	[1]	records whole seconds (numbers), less than 181, for W / 0 / control AND <u>4 concentrations;</u>	
		Additional guidance Must have • whole seconds only • no value over 180	
	[1]	(in concentration column) W / 0 / control and then lowest concentration of copper sulfate to highest concentration (minimum of two concentrations , low concentration and then next highest concentration);	west
OMM	[1]	lowest concentration of copper sulfate recorded is shorter time than next (higher) concentration; (mark first column/row of recorded time taken)	
		Additional guidance Can have • minimum of two recorded	

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers	Mark
	(a) (iii)	Ехр	lain how your results provide evidence for the support or the rejection of this hypothesis.	[2]
conclusion max 2	max 2	1.	clear statement on hypothesis, <u>support</u> / true(hypothesis) OR <u>reject</u> / false(hypothesis);	
		2.	correct statement about concentration <u>lower than</u> 0.03% with respect to time e.g. quote concentration and time;	
ACE o		3.	correct statement about water e.g. no inhibition;	

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

				Expected Answers	Mark
		MAF	<u>RK</u> the first <u>TWO</u> differ	ource of error in your investigation rent ideas for one correct answer.	[1]
			k with tick where meen rk as incorrect ideas temperature evaporation any errors which affec pH	<i>t the marking point and cross if idea incorrect up to two.</i> t all test-tubes equally	
	Cause of error		ror	WITH idea of error	
ACE interpretation max 1	max 1	1.	(dependent) colour change end-point timing	difficult to judge see or identify determine is subjective may be different too quick;	
retatio		2.	time intervals	(15 seconds) too long (a time interval);	
E interp		3.	(standardised) air bubble in syringe	measuring not accurate;	
ACI			Additional guidance	 Do not give mark if (count as an idea) human reaction time just have cause and no error give improvement or correction of error e.g. 'should have timed each one separately' contamination 	

Page 8	Page 8 Mark Scheme: Teachers' version		Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

		Expected Answers	Mark
	.,.,	Describe <u>three</u> other modifications to this investigation would improve the confidence in your results. Do not allow colorimeter. <u>MARK</u> the first FOUR different ideas for any THREE correct answers. <i>Mark with a tick where meet marking point and cross if idea but not correct up to 4</i> .	[3]
improvements max 3	max 3	 (dependent variable) 1. replicate; 2. more / closer / shorter time intervals (gaps); (MUST BE less than 15 seconds, but not less than 5 seconds) 3. use of Benedict's solution AND timing to first colour change / clinistix; 	
		Additional guidance Can have • repeat or more trials or more readings Ignore • mean	
		 (standardised variables) 4. add a buffer; 5. idea of more accurate instruments e.g. use of graduated pipette or syringe with smaller divisions (1 cm³) e.g. measuring cylinder; 	
ACE ir		Additional guidance Ignore (for MP5) • use burette	
		 (independent variable) more / wide / narrow(er) / different / high(er) / low(er) / more concentrations / dilutions / solutions; 	
		Additional guidance Do not give mark if • ref. to separate syringes • use larger volumes • put covers or lids on	

Page 9	Page 9 Mark Scheme: Teachers' version		Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Expected Answers Mark						
(I	(b) (i) Draw a circle around each of the anomalous results and complete the table.						
— [1]		circles the two anomalo	us results/ for 12.5 <u>80</u> AND for 3.5 <u>84;</u>				
MMO decision		Additional guidance	 Do not give if circled more than two numbers Ignore the figure 93 if in place of 96 do not count as a 'circle' if circled 				
-	[1]	calculates mean correct	ly/ <u>59;</u>				
ACE Interpretation		Additional guidance	 ECF allow <u>64</u> (as candidate has used anomalous result to calculate mean) Do not give if 64.2 (needs to round number down) given two answers 				

Page 10	Page 10 Mark Scheme: Teachers' version		Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers	Mark		
	(b) (ii)	Plot a graph of the data show	n in Table 1.1.	[4]		
	[1]	x-axis copper sulfate/mol dm ⁻³ x10 ⁻³ AND y-axis absorbance/%;				
PDO layout 4		Additional guidance	 Must have units on <i>x</i>-axis AND <i>y</i>-axis 			
	[1]	scale as x-axis 5 to 2 cmAND y-axis 20 to 2 cm ; ECF if no labels for O must label each 2 cmmust label each 2 cmmust label each 2 cm				
		Additional guidance	 Do not give mark if awkward scale e.g. scale not written on each 2cm Ignore 0 on either axis AND 100 on <i>y</i>-axis 			
PDO	[1]	i.e. plot has to be nearer than h	within half a square i.e less than 1 mm from intersection nalfway from a line - up or down lines then must not be on line above or below;			
		Additional guidance	 Can have small cross or dot in circle or cross in circle ECF if <i>x</i>-axis not 0 if scale 20 to 2 cm. even Do not give mark if awkward <i>y</i>-axis scale blobs or dots alone cross too large with any part of line touching 4 mm by 4 mm square – check with grisize which is 2 mm across Mark the plot for figure 93 as for other plots, do not penalise for using the number. 	d dot/blob		

Page 11	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

Expected A	xpected Answers					
[1]	lines point to point	 AND ruled, clear sharp and quality ruled lines thinner than half square; Do not give mark if less than 5 plots any feathery line irregular thickness extrapolated to zero 				

Page 12	Mark Scheme: Teachers' version	Syllabus	Paper	
	GCE AS/A LEVEL – May/June 2011	9700	31	

	Expected Answers Mark						
	(b) (iii)	Ехр	lain the effect of copper sulfate on the protein suspension.	[2]			
2	max 2	1.	(protein) coagulates / clots as concentration of copper sulfate increases;				
max		2.	denatures;				
conclusion		3.	detail on the effect of changing the protein structure; e.g. bonds broken / shape changed / altered / quaternary structure / tertiary structure				
ACE con			Additional guidance Do not give mark if link to enzyme for any MP 				
[Tot	al: 22]						

Page 13	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			E	Expected Answers	Mark
2	Lal	aw a large plan diagram of the p bel the xylem and an air space. <i>Irk in <u>vertical line</u> in order.</i>	part of the leaf	f indicated by the shaded area in Fig. 2.1.	[5]
	[1]	clear, sharp, unbroken lines	AND no shading	AND longer than 60 mm across middle / bulge from top to bottom;	
PDO layout 1		Additional guidance 'tail' or overlap or gap has to be more than 1 mm to be marked as an error	 Do not give drawn ov any line f any feath drawn or Can have 	e hand-drawn lines (not ruled) and one or more enclosed areas mark if ver the print of question thicker than 1mm nery or broken or overlap in lines hly <u>one enclosed area</u> and drawn <u>any</u> 'tail' or gap in the outline overlap or gap in the outline if drawn 2/3 enclosed areas	
3	[1]	no cells drawn		part of leaf indicated by shaded area of bulge at each side turns parallel to top layer;	
MMO collection		Additional guidance	• up to 3 e	enclosed areas within vascular bundle or within area where vascular bund ing large xylem vessels which would make them cells)	dle is situated
	[1]	vascular bundle divided into at	least 2 regions	Э;	
~	[1] definite area around hinge region drawn (at base of fold);				

Page 14	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Expected Answers					
ion 1	[1]	label line to central area air space drawn as distinct area	a which goes outside central area	AND labelled xylem AND labelled air space;		
MMO decision		Additional guidance	 Do not give mark if any label which is biologically e.g. from incorrect organ or anim label within drawn area 			

Page 15	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected A	Answers	Mark		
	The			indicated by the shaded area in Fig. 2. 2. ne epidermis and <u>two</u> adjacent cells from each of the next two	[5]		
	[1]	clear, sharp, unbroken lines	AND no shading or stippling	AND longest dimension of any cell is 30 mm using grid;			
PDO layout 1		 Must have 3 or more enclosed areas Do not give mark if drawn over the print of question any line thicker than 1mm any feathery line Can have 2 'tails' or overlap or gap in the <u>outline</u> of 6 enclosed areas (assessing outer line) 					
2	[1]	three pairs of <u>touching</u> cells only;					
collection		Additional guidance	 Do not give mark if other layers drawn 				
MMO co	[1]	the longest dimension (top to other four cells (by at least 1 r		middle cells is longer than the shortest dimension (top to bottom) of	any of the		
PDO recording 1	[1]	cell walls drawn as double lines with middle lamella between any two cells ;					

Page 16	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

-	[1]	correct label with label line to epidermal cell/cell from epidermis;	
MMO decision		 Additional guidance for epidermis only label within drawn area for any label which is biologically incorrect e.g. organelles or from incorrect organ animal 	n or

Page 17	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers	Mark
		actual length of line Y is 785 μ m. this measurement to calculate the m	agnification of Fig. 2.3	[3]
n 1	[1]	measures line Y in mm; 22 22.5 23 23.5 24 mm		
MMO decision		Additional guidance	Can have 2.2 2.25 2.3 2.35 2.4 cm Must have units somewhere only those values given	
display 2	[1]	(uses mm and converts to μ m by) shows <u>multiplied by</u> or <u>x</u> mm x 1000 OR x 10 ³ OR (uses cm and converts to μ m by) cm x 10000 x 10 ⁴	AND <u>divided by</u> (785);	
PDO di		(converts (785) μ m to mm or cm) shows <u>division by</u> or <u>1000</u> x 10 ³ OR (converts (785) μ m to mm or cm) shows <u>division by</u> or <u>10000</u> 10 ⁴	AND divides Y by (0.785) OR AND divides Y by (0.0785);	

Page 18	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Additional guidance	Must have multiplication and division signs/wording OR division and division signs/wording Can have * or . for 'multiplied by' even if no units mm or cm ECF using incorrect figure if MP1 wrong Do not give mark if uses metres anywhere
[1]	rounds to whole number;	
	Additional guidance	for MP3 ECF from MP1 but needs to have MP2 correct

Page 19	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

				Expected A	nswers			Ado	ditional gui	dance
	(d) Prepare the space below so that it is suitable for you to record the observable differences between the specimens on J1 and that in Fig. 2.3.									[5]
PDO recording 1	[1]	orga table	nise as a e / ruled boxes	AND headed J1 and Fig 2.3	AND first difference opposite other;	e each	<u>J1</u> Fig 2.3	<u>Fig 2.3</u> J1		
MMO decision 1 P	[1]	at least one difference and no similarities;								
	max 3		feature		J1		Fig. 2.3			
ACE interpretation max 3		1.	(mid-rib) shape		V-shaped / sharp pointed / concave		wide;	rise / roundeo accept V-sha		/
ACE in		2.	vascular bundle xylem / phloem p	osition	small / nearer low in one area	er epidermis	-	vide across n ıpper epiderr		

Page 20	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	3.	vascu	ular bundle sheath	present	absent;		
			unt of xylem / phloem	less	more;		
	4.	stomata / guard cells collenchyma upper epidermis hinge cells / rectangular cells		present / many	absent / less / none / cannot see;		
	5.			present	few cells / none;		
	6.			thick epidermis / large cells	thin epidermis / small cells;		
	7.			present	absent;		
	8.		per of air spaces / lacunae /	many	few / none		
		packing size of air spaces		(cells) densely packed large	(cells) loosely packed small;		
Additional guidance		22	If reverse headings then Do not give mark for PDO recording mark – show the swapping over of headings on their table then give marks as if for the swapped headings. If no organisation then give mark only if in same sentence or following sentences Ignore tick and cross without a key refs. to size 3-D descriptions such as spherical colours/staining Can have				
	differences even if not opposite each other. differences on one side if e.g. use more or –er						
			<u> </u>		Total 18		