

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
GCE Advanced Subsidiary Level and GCE Advanced Level

**MARK SCHEME for the May/June 2012 question paper
for the guidance of teachers**

9700 BIOLOGY

9700/33

Paper 31 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	33

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
<u>underline</u>	actual word given must be used by candidate (grammatical variants excepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore
ACE	Analysis, Conclusions and Evaluation (skills)
MMO	Manipulations, Measurement and Observation (skills)
PDO	Presentation of Data and Observations (skills)

Expected Answers

1 (a) (i) [1]

MMO decision 1		<p><i>Idea of</i> more than single cell or cells in field of view or that eyes can see or Idea of repeat or more readings / observations;</p>
		<p>Do not give mark if</p> <ul style="list-style-type: none"> • ref. to observe over time or at different times • ref. to staining • any ref. to measuring

(a) (ii) [4]

PDO recording 2	mp1	table with all cells drawn	<p>AND heading (top row or left of recorded data column) <u>concentration of sodium chloride solution/mol dm⁻³</u>;</p>
			<p>Do not give mark if</p> <ul style="list-style-type: none"> • units in cells of headed column
PDO recording 2	mp2	(any correct heading – column or row) state(s) of plasmolysis;	
			<p>Do not give mark if</p> <ul style="list-style-type: none"> • headings for method variables
MMO collection 2	mp3	<ul style="list-style-type: none"> • records more than one cell for <u>0.8</u>, <u>0.4</u>, <u>0.2</u>, or <u>S1,S2,S3</u> AND <u>S4</u> 	<p>AND records state of plasmolysis for each cell or number of cells in each state;</p>
			<p>Do not give mark if</p> <ul style="list-style-type: none"> • just record a single result for each solution or plasmolysed to non-plasmolysed
MMO collection 2	mp4	has recorded for 0.8 or S1 in context of complete or more plasmolysis highest number of cells	<p>AND has recorded for 0.2 or S3 in context of no or slight plasmolysis highest number of cells;</p>
			<p>Ignore</p> <ul style="list-style-type: none"> • turgid or flaccid

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	33

(a) (iii)		[1]	
ACE interpretation 1		<p>correct with their results (however shown e.g. % plasmolysed cells) and uses only</p> <ul style="list-style-type: none"> • <u>0.8 to 0.4</u> • <u>0.4 to 0.2</u> • <u>0.2 to 0(.0)</u>; 	
			<p>Do not give mark if</p> <ul style="list-style-type: none"> • no results for S4 • any other values
(a) (iv)		[max 1]	
ACE interpretation MAX 1		cause of error	WITH idea of error
	mp 1	(dependent variable) <i>idea of</i> state of plasmolysis cells on slide and in Fig 1.1	<i>idea of</i> difficult to judge / distinguish / see / observe or not enough states shown / only 4 or some cells between diagrams not the same or different;
	mp 2	<u>qualitative</u> ;	
		<p>Ignore</p> <ul style="list-style-type: none"> • ref. to colour or stain • ref. to measurements 	

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	33

(a) (v)		[max 3]
ACE improvements MAX 3	mp 1	(independent variable) (concentration of sodium chloride) <i>idea of</i> use more concentrations or serial dilution;
	mp 2	(dependent variable) more diagrams for more stages of plasmolysis;
		Do not give mark if • to stain or colour
	mp 3	repeat or replicate (in context of each solution);
		Do not give mark if • more cells
	mp 4	(standardised variables) <i>idea of</i> leave / soak (cells / onion) for longer or same time or until no further plasmolysis;
		Do not give mark if • ref. to measure at different times
	mp 5	use same onion or same part of onion or same age or fresh onion;
		Do not give mark if • same cell
	mp 6	<i>idea of</i> same <u>volume</u> or e.g. with cm ³ of solutions and measuring method;
		Do not give mark if • amount

1 (b) (i)		[4]	
PDO layout 4	mp 1	x-axis concentration (of) <u>sodium chloride / NaCl solution / $\times 10^{-2} \text{ mol dm}^{-3}$</u>	AND y-axis <u>percentage or % (of) red blood cells destroyed;</u>
	mp 2	scale as x-axis <u>0.5 to 2 cm labelled each 2 cm</u>	AND y-axis <u>20 to 2 cm labelled each 2 cm ;</u>
	mp 3	correct plotting of <ul style="list-style-type: none"> • <u>six</u> points only • as small cross (does not go outside 2 mm \times 2 mm square) or dot (<u>in circle</u>) or cross in circle; Do not give mark if <ul style="list-style-type: none"> • plotted 50% with same as other points • blobs or dots alone • if blob in circle bigger than 1mm diameter 	
	mp 4	<u>six</u> plots with <u>ruled</u> lines exactly point to point or <u>curve through 6 points</u>	AND (quality) <u>smooth line less than 1 mm line thickness ;</u>
		Do not give mark if <ul style="list-style-type: none"> • any extrapolation 	
(b) (ii)		[2]	
MMO collection 1	mp 1	shows reading off at <u>50%</u> ;	
ACE interpretation 1	mp 2	correct reading from graph	AND <u>$\times 10^{-2} \text{ mol dm}^{-3}$;</u>
		Can have mark if <ul style="list-style-type: none"> • line crosses at halfway between vertical lines then MUST read half square value e.g. 6.775 • line crosses nearer right vertical then can have only either half square value or value of right vertical • line crosses nearer left vertical then can have only either value of left vertical or half way value 	

(b) (iii)

[3]

Ignore ref. to plasmolysis, water potential, isotonic, hyper/hypotonic, haemolysis

ACE conclusion 3	mp 1	for any correct reference in context of water moving <u>osmosis</u> ;		
		Must have		
		<ul style="list-style-type: none"> ref to only water moving 		
	mp 2	correct idea of movement of water in 0% no <u>net</u> movement <u>of water</u> ;		
				Do not give mark if <ul style="list-style-type: none"> no movement of water
	mp 3	correct idea of movement of water in 100% idea of water moving into cells;		
			Do not give mark if <ul style="list-style-type: none"> ref. to no water out 	
[Total: 19]				

2 (a) (i)		[1]
MMO decision 1	<i>idea of <u>describing</u> difference in (P)</i> (in top layer <u>only</u>) bubbles or drop(lets) or gas or air;	
Ignore <ul style="list-style-type: none"> emulsion or immiscible 		Do not give mark for <ul style="list-style-type: none"> bubbles either labelled or drawn on Q
(a) (ii)		[3]
<i>Ignore explanations e.g. hydrophobic molecules, etc.</i>		
MMO decisions 2	mp 1	identifies layers correctly (on top) oil AND (layer underneath) water;
	mp 2	<i>(Idea of position)</i> labels egg or yolk
	Ignore	<ul style="list-style-type: none"> emulsion or immiscible additional drawings of egg e.g. on surface or tails into lower layer
PDO recording 1	mp 3	detail (anywhere) draws egg as drop or distinct rounded shape (not layer);
	Ignore tails	Do not give mark if <ul style="list-style-type: none"> layer If egg all at bottom of tube only happens if shaken

Page 9	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	33

(a) (iii)		[2]
<i>Ignore explanations precipitate suspensions solutions emulsions</i>		
MMO decision 2	mp 1	<p>(P) <u>description</u> P in (a) (iii) compared to P in (a) (i) looking for something other than labels of contents. idea of cloudy or hazy(ier) or milky or describes colour e.g. white or yellow or cream(y) or ref. to difference in bubbles described e.g. if no bubbles in P in (a)(i) then allow any bubbles labelled here or if bubbles in lower layer in P in (a)(i) then could have more bubbles in P here;</p>
	mp 2	<p>(annotated <u>description</u> (not contents) of</p> <ul style="list-style-type: none"> • compare Q from (a)(ii) to Q in (a)(iii) <p>(drawn and) <u>labelled</u></p> <ul style="list-style-type: none"> • egg / yolk at bottom of tube or in lower layer or lower half of test-tube • or labelled (meniscus curved in (a)(ii) to) meniscus flat(ter) or not / less curved • top layer foam or froth • bubbles • any valid ref. to cloudier or hazier or milkier or more white or turbid or dense • any valid ref. to different colours recorded;
		<p>Do not give mark if</p> <ul style="list-style-type: none"> • oil, water and yolk drawn as separate layers • labels only as mixture or emulsion

(b) (i)				[4]
PDO layout 1	mp 1	no shading or dashed line inside cell	AND largest blood cell larger than 30mm	AND clear, sharp, unbroken lines in <u>all</u> cell <u>surface</u> membranes drawn; Do not give mark if <ul style="list-style-type: none"> less than three cell surface membranes or if any cell surface membrane has <ul style="list-style-type: none"> drawn two lines any ruled lines any line more than 1 mm any feathery or broken or dashed or gap any 'tail' or overlap drawn over the print of question
	MMO collection 3	mp 2	on Fig.2.6 shows in any way three different types of cell	
Ignore any labels for cells				
mp 3		drawn neutrophil larger than both of other two types of cells;		
	mp 4	(in neutrophil) correct shape of nucleus		AND (in other white blood cell) nucleus fills more than half the cell and positioned closer to or in contact with membrane on one side;

(b) (ii)				[5]
PDO recording 1	mp 1	organise as a table with only three columns or rows separated by lines (no cells needed) Ignore numbered columns	AND headings in any order only Do not give mark if divide wbc into 2 columns / rows <u>red blood cells / rbc</u> and <u>white blood cells / wbc</u> ;	AND third column / row contains examples of features
	MMO decision 1	mp 1 <u>only observable</u> differences (at least two) recorded ;		
			Do not give mark if <ul style="list-style-type: none"> any function or ref. to 'not visible' contents e.g. haemoglobin or organelles two white blood cells given 	

(b) (iii)		[6]	
MMO collection 1	mp 1	shows at least one value for each of J, K, L, M and N or the same number of values from each cell; Ignore use of metres or μm	
MMO decision 1	mp 2	shows <u>mm</u> at least <u>once</u> on values 8 or higher;	
PDO display 2	mp 3	shows addition of at least <u>five</u> values	AND shows division by number of values;
		Can have <ul style="list-style-type: none"> alternative signs for division 	Do not give mark for <ul style="list-style-type: none"> $\Sigma x/n$ unless x and n have key
	mp 4	shows at least <u>one</u> conversion of mm to μm by showing <ul style="list-style-type: none"> <u>multiplication</u> by 1000 or 10^3 	AND shows figure divided by 1430;
		Can have <ul style="list-style-type: none"> alternative signs for multiplication (or *) or alternative signs for division 	Do not give mark if <ul style="list-style-type: none"> metres anywhere no mm anywhere
PDO layout 1	mp 5	draws <u>only</u> one 'bumpy / spiky' cell with no shading;	AND do not give mark if <ul style="list-style-type: none"> any feathery or broken or dashed or gap or overlap or tail in the outline of cell drawn over the print of question
MMO collection 1	mp 6	shows any one measurement across a <u>drawn</u> cell (if more than one cell drawn then must be labelled J); Do not give mark if <ul style="list-style-type: none"> cell has smooth shape e.g. oval, round etc. 	
			[Total: 21]