



Mark Scheme (Results)

June 2022

Pearson Edexcel International Advanced Level In Biology (WBI14)
Paper 01
Energy, Environment,
Microbiology and Immunity

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

June 2022

Question Paper Log Number P70963A

Publications Code WBI14_01_2206_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response

Question number	Answer	Additional guidance	Mark
1(a)	<ul style="list-style-type: none"> a {chemical / substance / medicine / drug / compound / molecule} that {kills / destroys} bacteria 	<p>ACCEPT pathogen / microorganisms DO NOT ACCEPT viruses antibodies / antigens DO NOT ACCEPT inhibit the growth IGNORE descriptions of mechanisms</p>	(1)

Question number	Answer	Additional guidance	Mark
1(b)	<ul style="list-style-type: none"> bacteria are prokaryotic (and humans are eukaryotic) 	<p>ACCEPT named target site e.g. cell wall, biochemistry, metabolism only prokaryotic cells IGNORE specific antigens receptors</p>	(1)

Question number	Answer	Additional guidance	Mark
1(c)	<p>A description that includes two of the following points:</p> <ul style="list-style-type: none"> • finish the course of antibiotics (1) • take the antibiotics as directed (by the doctor) • warnings / precautions that may be necessary 	<p>IGNORE advise that would be given to doctors and not the patients</p> <p>ACCEPT specific examples e.g. correct {dose / number / timings}, do not share your antibiotics, do not take antibiotics not prescribed (by your doctor)</p> <p>e.g. they might make you sleepy</p>	(2)

Question number	Answer	Additional guidance	Mark
1(d)	<p>A description that includes the following points:</p> <ul style="list-style-type: none"> • bacteria types J and K are {destroyed / killed / eradicates} (1) • antibiotic results in an increase in {proportion / percentage / ratio} of bacteria types M and N (1) • bacteria type O and L {not affected / growth inhibited} (1) 	<p>Piece together</p> <p>ACCEPT antibiotic is bactericidal to J and K</p> <p>IGNORE increase in number</p> <p>ACCEPT antibiotic is bacteriostatic to O and L</p>	(3)

Question number	Answer	Mark
2(a)	<p>The only correct answer is A.</p> <p><i>B is incorrect because this is not a method of counting bacteria</i></p> <p><i>C is incorrect because colonies are counted not weighed</i></p> <p><i>D is incorrect because colonies are counted on agar. Turbidity would not work on agar.</i></p>	(1)

Question number	Answer	Additional guidance	Mark
2(b)	<p>An explanation that includes the following points:</p> <ul style="list-style-type: none"> attach lid to dish to ensure {lid does not fall off / bacteria do not enter / bacteria do not leave / no contamination} (1) not completely sealed {so that conditions remain aerobic / prevent the growth of anaerobic bacteria} (1) 	<p>ACCEPT a description for both marking points e.g. sellotape used in places / sellotape not used all the way round</p> <p>ACCEPT a description of how to attach e.g. tape up the petri dish, use sellotape to seal petri dish</p> <p>ACCEPT leave gaps so there is oxygen</p> <p>NB leave air holes in the sealing = this mark</p>	(2)

Question number	Answer	Mark
2(c)(i)	<p>The only correct answer is C.</p> <p><i>A is incorrect because lag comes before exponential and death comes at the end</i> <i>B is incorrect because exponential comes between lag and death</i> <i>D is incorrect because lag comes before exponential and stationery comes after</i></p>	(1)

Question number	Answer	Mark
2(c)(ii)	<p>The only correct answer is D.</p> <p><i>A is incorrect because all four are correct</i> <i>B is incorrect because all four are correct</i> <i>C is incorrect because all four are correct</i></p>	(1)

Question number	Answer	Additional guidance	Mark
2(c)(iii)	<ul style="list-style-type: none"> • $\log_{10} N_t$ and $\log_{10} N_0$ values read from graph and subtracted (1) • 2.49 (1) 	<p>6.5 - 2 / 4.5 IGNORE 'log' before the 6.5 and 2 if they clearly haven't used the log value</p> <p>ecf if log of logs have been taken and given to 2 dps = 0.28</p>	(2)

Question number	Answer	Additional guidance	Mark
3(a)(i)	<p>A description that includes the following points:</p> <ul style="list-style-type: none"> • compete with pathogen for {space / nutrients / metabolites / named nutrient} (1) • (skin flora) producing toxins (to pathogens) (1) • preventing {the growth of the pathogens / colonisation (of the skin) by pathogens} (1) 	<p>ACCEPT other {bacteria / microorganisms} for pathogens</p> <p>ACCEPT nutrition IGNORE food</p> <p>ACCEPT anti-microbials chemicals if linked to mp 3 or qualified as being poisonous DO NOT ACCEPT sebum</p> <p>ACCEPT stimulate the immune system (toxins) kill pathogens</p>	(2)

Question number	Answer	Additional guidance	Mark
3(a)(ii)	<ul style="list-style-type: none"> keratin / antimicrobial secretions (by the skin) / oils / sebum 	ACCEPT barrier IGNORE sweat explanations and other methods	(1)

Question number	Answer	Additional guidance	Mark
3(b)(i)	<p>A description that includes the following points:</p> <ul style="list-style-type: none"> majority of bacteria are three types males of all ages have the same (predominant) groups of bacteria present on their skin (1) Proteobacteria are the highest group of bacteria in all age groups (1) middle aged men and elderly men have similar proportions of the three types of bacteria present on their skin (1) 	IGNORE reference to ‘others’ throughout Do not piece together ACCEPT Firmicutes is lowest named bacteria in all groups ACCEPT <u>teenagers</u> have { <u>more</u> Firmicutes and Actinobacteria / <u>less</u> Proteobacteria} (than middle aged and elderly men)	(3)

Question number	Answer	Additional guidance	Mark
3(b)(ii)	<p>A description that includes two of the following points:</p> <ul style="list-style-type: none"> • collect from same part of {body / skin} (1) • men should use same washing regime (1) • men from same environment (1) • men should not be taking antibiotics (1) 	<p>ACCEPT description e.g number of showers, same soaps</p> <p>ACCEPT same parts of the world, named environmental conditions e.g. UV light, humidity, temperature</p> <p>ACCEPT should not use antibacterial {soaps / creams} no skin conditions</p>	(2)

Question number	Answer	Additional guidance	Mark
3(c)(i)	<p>A description that includes the following points:</p> <ul style="list-style-type: none"> • macrophages {engulf / phagocytose / ingest} the bacteria (1) • and destroy the bacteria with enzymes (1) 	<p>ACCEPT pathogens / microorganisms DO NOT ACCEPT viruses DO NOT ACCEPT in context of opsonisation</p> <p>ACCEPT digestive enzymes / named digestive enzyme / lysozyme</p>	(2)

Question number	Answer	Additional guidance	Mark
3(c)(ii)	<p>A description that includes two of the following points:</p> <ul style="list-style-type: none"> • macrophages present antigen (on surface / on MHC) (1) • (macrophages present antigen) to {T helper / CD4} cells (1) • macrophage engulf opsonised bacteria (1) 	<p>DO NOT ACCEPT to T killer cells / B cells / other cells</p> <p>ACCEPT description of opsonisation</p>	(2)

Question number	Answer	Additional guidance	Mark
4(a)(i)	<ul style="list-style-type: none"> • not enough (male) birds left to teach them the song 	<p>ACCEPT hear the songs of other birds and learn them</p>	(1)
Question number	Answer	Additional guidance	Mark
4(a)(ii)	<p>An explanation that includes the following points:</p> <ul style="list-style-type: none"> • female birds will not recognise the males (song / courtship behaviour) (1) • therefore the level of breeding may drop (1) • therefore the number of birds will drop (further) / extinction (1) • hybridisation may occur (1) 	<p>ACCEPT reduced mating / reproduction</p> <p>ACCEPT mating with another <u>species</u> would produce infertile offspring</p> <p>IGNORE references to reproductive isolation</p>	(3)

Question number	Answer	Additional guidance	Mark
4(a)(iii)	<p>An answer that includes the following points:</p> <ul style="list-style-type: none"> • keep them away from other species / house them with (only) their species (1) • (in captivity) keep with other birds that can sing the songs (to teach them) (1) • and then release the birds that have learnt the song back into the wild (1) 	<p>ACCEPT play recorded {songs / videos} / whistle the song</p>	<p>(2)</p>
Question number	Answer	Additional guidance	Mark
4(b)	<p>A description that includes the following points:</p> <ul style="list-style-type: none"> • take DNA samples from {feather / dropping / skin / blood} (of both species) (1) • use of PCR (1) • (followed by) (gel) electrophoresis (1) • {number / width / position / patterns} of <u>bands</u> will show similarities (1) 	<p>ACCEPT DNA profiling / bioinformatics</p> <p>ACCEPT similar base sequences (using DNA profiling / bioinformatics)</p>	<p>(4)</p>

	Answer	Mark
5(a)(i)	<p>The only correct answer is C.</p> <p><i>A is incorrect because m is an area so two dimensional</i> <i>B is incorrect because year is one dimensional</i> <i>D is incorrect because year is one dimensional</i></p>	(1)

	Answer	Mark
5(a)(ii)	<p>The only correct answer is B.</p> <p><i>A is incorrect because $NPP = GPP - R$</i> <i>C is incorrect because $NPP = GPP - R$</i> <i>D is incorrect because $NPP = GPP - R$</i></p>	(1)

Question number	Answer	Additional guidance	Mark
5(a)(iii)	<ul style="list-style-type: none"> 98 : 10 : 1 	<p>ACCEPT 98 : 9.6 : 1 98.3 : 9.6 : 1 100 : 10 : 1</p> <p>10 : 1 : 0.1 10.3 : 1 : 0.1</p> <p>1 : 0.1 : 0.01</p>	(1)

Question number	Answer	Additional guidance	Mark
5(a)(iv)	<p>An explanation that includes the following points:</p> <ul style="list-style-type: none"> • because not enough energy (in trophic level 3) (1) • to sustain (organisms in) a fourth trophic level (1) <p>OR</p> <ul style="list-style-type: none"> • energy is lost between trophic levels (1) • so not enough energy for another trophic level (1) 	<p>IGNORE no energy / biomass</p> <p>ACCEPT support</p> <p>IGNORE no energy / biomass</p>	(2)
Question number	Answer	Additional guidance	Mark
5(a)(v)	<p>A description that includes the following points:</p> <ul style="list-style-type: none"> • breakdown organic matter (1) • with (hydrolytic) enzymes (1) • releasing carbon <u>dioxide</u> from respiration (to the atmosphere) (1) • where it is used for photosynthesis (by plants) (1) 	<p>ACCEPT dead {tree / gerenuk / lion} / tissues / named organic molecule</p> <p>ACCEPT named enzyme</p> <p>NB release {digestive / hydrolytic} enzymes onto dead organisms = 2 marks</p>	(3)

Question number	Answer	Additional guidance	Mark
*5(b)	<p>Level 1 points:</p> <ul style="list-style-type: none"> • due to natural selection <p>(Descriptions of differences in features)</p> <ul style="list-style-type: none"> • gerenuk's food is higher up / springbok's food is lower down • gerenuks have longer {necks / limbs} • gerenuk's white areas are {underneath / more concealed} • better adapted organisms survive and reproduce • passing their alleles onto their offspring <p>Level 2 points:</p> <ul style="list-style-type: none"> • occupy a different niche because they eat different food <p>(Descriptions of how mutation caused a difference)</p> <ul style="list-style-type: none"> • change in length of {neck / limbs} due to a mutation • change in type of horns due to a mutation <p>(Explanations of how a features are an adaptation / result in difference in behaviour)</p> <ul style="list-style-type: none"> • organisms with longer neck could reach the higher leaves • organisms with smaller horns did not get caught up in branches • smaller organisms had to go to waterhole for water • organisms with larger horns could defend off predators • male gerenuks kept horns for fighting for females <ul style="list-style-type: none"> • reference to {reduced gene flow / change in allele frequency / reproductive isolation} with no links made <p>Level 3 points:</p> <ul style="list-style-type: none"> • length of {neck / limbs} is a polygenic characteristic • type of horns is a polygenic characteristic • therefore organisms will show (continuous) variation for this phenotype • height of food acted as a selection pressure on size • {branches / predators} acted as a selection pressure on horns • organisms that {occupy a different niche / feed on different food} are not in competition with each other • two groups of organisms moved apart depending on where their food was • sympatric speciation / organisms not separated by a physical barrier • therefore reduced gene flow (between the two groups) • resulting in changes in the allele frequency • eventually resulting in reproductively isolated • and the formation of two species 	<p>Level 1:</p> <p>1 mark = 1 point made from any level</p> <p>2 marks = 3 points made from any level</p> <p>Level 2:</p> <p>NB Must be a reference to the data / context of the question</p> <p>3 marks = 4 points made which include at least one level 2 point</p> <p>4 marks = 5 points made which include at least one level 2 point</p> <p>Level 3:</p> <p>NB Horns and {leg / neck} length must be included</p> <p>5 marks = 6 points made which includes at least one level 3 point</p> <p>6 marks = 7 points made which includes at least one level 3 point</p>	(6)

Question number	Answer	Mark
6(a)(i)	<p>The only correct answer is D.</p> <p><i>A is incorrect because R is a glycoprotein</i> <i>B is incorrect because Q is an enzyme</i> <i>C is incorrect because S is the capsid</i></p>	(1)

Question number	Answer	Mark
6(a)(ii)	<p>The only correct answer is D.</p> <p><i>A is incorrect because Q is an enzyme, R is a glycoprotein and S is the protein capsid</i> <i>B is incorrect because Q is an enzyme, R is a glycoprotein and S is the protein capsid</i> <i>C is incorrect because Q is an enzyme, R is a glycoprotein and S is the protein capsid</i></p>	(1)

Question number	Answer	Mark
6(a)(iii)	<p>The only correct answer is A.</p> <p><i>B is incorrect because TMV does not have an envelope</i> <i>C is incorrect because TMV does not have an envelope</i> <i>D is incorrect because Ebola virus has both an envelope and RNA</i></p>	(1)

Question number	Answer	Mark
6(a)(iv)	<p>The only correct answer is D.</p> <p><i>A is incorrect because 60mm is 60 000 000 nm, divide this by 120nm = 500 000</i> <i>B is incorrect because 60mm is 60 000 000 nm, divide this by 120nm = 500 000</i> <i>C is incorrect because 60mm is 60 000 000 nm, divide this by 120nm = 500 000</i></p>	(1)

Question number	Answer	Additional guidance	Mark
6(b)(i)	<p>An explanation that includes two of the following points:</p> <ul style="list-style-type: none"> because the y axis would have to be extended to {37 / 38 / 39 / 40} (1) otherwise this would make the rest of the data too squashed (1) <p>OR</p> <ul style="list-style-type: none"> so that <u>all</u> the data can be plotted on one graph (1) so that it can <u>all</u> be compared (1) 	<p>ACCEPT would require a bigger scale larger graph</p> <p>ACCEPT changes in deaths and new infections would not be so accurately presented</p> <p>ACCEPT with data for new infections and deaths IGNORE easier / harder other data</p> <p>ACCEPT with data for new infections and deaths IGNORE easier / harder other data</p>	(2)

Question number	Answer	Additional guidance	Mark
6(b)(ii)	<p>An answer that includes two of the following points:</p> <ul style="list-style-type: none"> two values read from graph, subtracted and divided by 5 (1) $2 \times 10^5 / 2.0 \times 10^5 / 2.00 \times 10^5$ (1) 	<p>$(3.2 - 3.1) \div 5 = 0.02$</p>	(2)

Question number	Answer	Additional guidance	Mark
6(b)(iii)	<p>An explanation that includes two of the following points:</p> <ul style="list-style-type: none"> • more infected people are surviving (1) • (more) people are surviving due to {better / new} {treatments / health care} (1) 	<p>ACCEPT fewer infected people are dying IGNORE death rates</p> <p>IGNORE vaccines, antibiotics, technology</p>	(2)

Question number	Answer	Additional guidance	Mark
6(b)(iv)	<ul style="list-style-type: none"> • extrapolation (of data / graph / line) / extending the line (to 2025) (1) 	<p>ACCEPT <u>extend</u> a line of best fit IGNORE draw a line of best fit unqualified</p>	(1)

Question number	Answer	Additional guidance	Mark
6(b)(v)	<p>An explanation that includes two of the following points:</p> <ul style="list-style-type: none"> • because vaccines result in {(artificial active) immunity / an immune response} (1) • due to the {formation / presence} of memory cells (1) • therefore (as a result of the vaccine) there would be fewer people with HIV (1) • and therefore non-immune people less likely to become infected by someone with HIV (1) 	<p>ACCEPT number of infections decrease</p> <p>ACCEPT herd immunity</p>	(3)

Question number	Answer	Additional guidance	Mark
7(a)	<ul style="list-style-type: none"><li data-bbox="421 248 898 284">• 83 / 83.0 / 83.3 / 83.33 (%) (1)	DO NOT ACCEPT any other values including recurring numbers e.g. $83.\dot{3}$ IGNORE {decrease / - / ↓}	(1)

Question number	Answer	Additional guidance	Mark
*7(b)(i)	<p>Table:</p> <ul style="list-style-type: none"> • Tasmanian devils spend less time feeding in cancer areas (D) • because there are fewer Tasmanian devils in these areas (E) • because they have died from the cancer (E) • because they are sick and get chased away by the other scavengers (E) • because they are sick and have lost their appetite (E) <ul style="list-style-type: none"> • {ravens / quolls / cats} all spend longer feeding in cancer areas (D) • because there are fewer Tasmanian devils (E) • therefore more food to go round / less competition (E) • because there are fewer Tasmanian devils to frighten them away (E) • because sick Tasmanian devils are too ill to chase scavengers away (E) <ul style="list-style-type: none"> • ravens, quolls and feral cats in similar proportions in both areas (D) • because they eat different parts of the carcass (E) • so are not in competition with each other (E) <p>Graph:</p> <ul style="list-style-type: none"> • carcasses in cancer areas are lasting longer than those in the healthy area (D) • because there are fewer Tasmanian devils to feed on the carcass (E) • because they are sick and have lost their appetite (E) • because scavengers do not eat as fast as Tasmanian devils (E) • because scavengers do not eat all the carcasses (E) • but they eventually breakdown by {decomposers / other scavengers} (E) 	<p>ACCEPT converse throughout where appropriate</p> <p>Level 1:</p> <p>1 mark = one description only</p> <p>2 marks = two descriptions OR one simple explanation</p> <p>Level 2:</p> <p>3 marks = more than one explanation from either table or graph</p> <p>4 marks = explanations for both table and graph</p> <p>Level 3:</p> <p>5 marks = explanations for both table and graph, one of which is extended</p> <p>6 marks = to include extended explanations for both table and graph</p> <p>NB Extended explanation either offers two alternative explanations or has two steps to it</p>	(6)

Question number	Answer	Additional guidance	Mark
7(b)(ii)	<p>An explanation that includes four of the following points:</p> <ul style="list-style-type: none"> • (type or number) {microorganisms / insect species} that decompose the carcasses (1) • other species of scavengers as they would also feed on the carcasses (1) • people as this could frighten away the {scavengers / Tasmanian devils} (1) • other predators because they could affect the number of {scavengers / Tasmanian devils} feeding (1) • pathogens as they could affect the number of {scavengers / Tasmanian devils} feeding (1) 	<p>ACCEPT competing for carcass</p> <p>ACCEPT named activity of people and the effect</p> <p>NB If no marks awarded, allow 1 mark for a named biotic factor from the mark scheme</p>	(4)

Question number	Answer	Additional guidance	Mark
8(a)(i)	<p>A description that includes three of the following points:</p> <ul style="list-style-type: none"> • need to withstand {harsh / extreme} environments (1) • need to be able to withstand {desiccation / lack of shade} (1) • have a low requirement for {minerals / mineral ions / named mineral ion / soil} (1) • have {fast life-cycles / grow fast / reproduce asexually / produce lots of seeds / wide dispersal mechanisms} (1) 	<p>ACCEPT can live in dry conditions ACCEPT can grow in {poor quality soil / bare rock} IGNORE nutrients</p>	(3)

Question number	Answer	Additional guidance	Mark
8(a)(ii)	<p>An explanation that includes two of the following points:</p> <ul style="list-style-type: none"> • changes to the habitat have to take place before a different organism can survive there (1) • credit named improvement (1) • credit organism that would appear in next stage following this improvement (1) 	<p>ACCEPT (one species) {improves conditions / provides suitable conditions} (for the next species)</p> <p>e.g. make soil, improve soil, provide food (for animals)</p> <p>e.g. (deeper soil) bushes / trees, (food / shelter) animals</p>	(2)

Question number	Answer	Additional guidance	Mark
8(b)(i)	<p>An answer that includes the following points:</p> <ul style="list-style-type: none"> • eruption results in a drop in temperature (within 1.25 years) (1) • by 0.2 °C (1) 	<p>IGNORE references to subsequent increase</p> <p>ACCEPT value in range of 0.02 to 0.2, but must be correct if time period stated</p> <p>OR</p> <ul style="list-style-type: none"> • (overall) increase in temperature (1) • by {0.1 / 0.15} °C (1) 	(2)

Question number	Answer	Additional guidance	Mark
8(b)(ii)	<p>An explanation that includes the following points:</p> <ul style="list-style-type: none"> • less (UV / shorter wave length) light will (indirectly) result in cooler temperatures (1) • because there will be less {IR (radiation) / long wave length} (reflected from the Earth's surface to warm up the atmosphere) (1) • with time, the particles will {disperse / decrease} (1) • and more (UV / shorter wave length) light will be able to {reach the Earth / pass through} increasing the temperature (1) 	<p>ACCEPT {particles / ash / sulfur dioxide} throughout</p> <p>IGNORE heat</p> <p>ACCEPT less heat trapped</p>	(4)

Question number	Answer	Additional guidance	Mark
8(b)(iii)	<ul style="list-style-type: none"> • $700 / 7 \times 10^2$ (times / eruptions) (1) 		(1)

Question number	Answer	Additional guidance	Mark
8(b)(iv)	<p>An answer that includes four of the following points:</p> <ul style="list-style-type: none"> • graph shows that there is no significant change in levels of carbon dioxide following the eruptions (1) • but there is evidence that volcanoes release some carbon dioxide (1) • so they might contribute to the greenhouse effect and cause {climate change / global warming / increase in temperatures} (1) • but this might be offset by the {sulfur dioxide / ash} produced (1) 	<p>ACCEPT volcanoes {do release / increase} carbon dioxide</p> <p>ACCEPT volcanoes do contribute to the greenhouse effect and cause {climate change / global warming / increase in temperatures}</p> <p>ACCEPT carbon dioxide is a greenhouse gas and causes climate change</p>	(3)

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United King