

Mark Scheme (Final)

Summer 2023

Pearson Edexcel International Advanced Subsidiary Level In Biology (WBI16)

Paper 01

Unit 6: Practical Skills in Biology II

# **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a

Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.

Their contact details can be found on this link: <a href="https://www.edexcel.com/teachingservices">www.edexcel.com/teachingservices</a>.

You can also use our online Ask the Expert service at <a href="https://www.edexcel.com/ask">www.edexcel.com/ask</a>.

You will need an Edexcel username and password to access this service.

# Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Summer 2023

Question Paper Log Number: P71939A
Publications Code WBI16\_01\_2306\_MS
All the material in this publication is copyright
© Pearson Education Ltd 2023

### **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
  - ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear
  - select and use a form and style of writing appropriate to purpose and to complex subject matter
  - organise information clearly and coherently, using specialist vocabulary when appropriate

#### **Using the Mark Scheme**

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

( ) means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the <u>meaning</u> of the phrase or the actual word is **essential** to the answer. ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

### **Quality of Written Communication**

Questions which involve the writing of continuous prose will expect candidates to:

 write legibly, with accurate use of spelling, grammar and punctuation in order to make the meaning clear · select and use a form and style of writing appropriate to purpose and to complex subject matter · organise information clearly and coherently, using specialist vocabulary when appropriate.

Full marks will be awarded if the candidate has demonstrated the above abilities. Questions where QWC is likely to be particularly important are indicated (QWC) in the mark scheme, but this does not preclude others.

Question Number	Answer	Additional Guidance	Mark
1a	Anaphase (1)	Ignore ref to early / late anaphase  Accept phonetic spelling	
			1
			grad

Question Number	Answer	Additional Guidance	Mark
1bi	A description that includes six of the following points:  • description of treatment of onion {plants/ roots} grown in caffeine solution (1)		
	<ul> <li>use caffeine solution and without caffeine OR stated concentrations/number of caffeine concentrations(1)</li> </ul>	Accept a concentrations without a 0%	
	• use of root <b>tip</b> (1)	Accept description of tip e.g. terminal 5mm	
	<ul> <li>use of a suitable named stain</li> <li>(1)</li> </ul>	Toluidine blue/orcein/methylene blue/nile blue	
	<ul> <li>method of preparing microscope slides (1)</li> </ul>	Teasing apart/squashing/macerate/treat	
	<ul> <li>counting cells under microscope (1)</li> </ul>	with acid	
	description of how to calculate     mitatic index (1)	accept formula	6
	mitotic index (1)		exp

Question Number	Answer	Additional Guidance	Mark
1bii	A description that includes three of the following points:		
	• β glucose (1)	Accept beta /b/B	
	• 1-4 glycosidic bonds (1)		
	<ul> <li>every (other) glucose molecule inverted (1)</li> </ul>	Accept from diagram	
	<ul> <li>the molecule is a {straight chain/unbranched} (1)</li> </ul>		
		Ignore cellulose	
		molecules joining	3
		together	ехр

(Total for question 1 = 10 marks)

Question	Answer	Additional Guidance	Mark	
Number	Aliswei	Additional duladite	ar K	
2a	Appropriate suggestion linked to benefit	E.g. shelter for wind/sun (so) reduced water loss/transpiration		
		Animals graze mimosa before cactus		
		Shelter helps cactus seedlings establish		
		Accept other valid	1	
		suggestions	ехр	

Question Number	Answer	Additional Guidance	Mark
2b	<ul> <li>identify a suitable risk such as being infected/bitten/allergic reaction/irritant/sunburn/spines/dehydration/trip hazard (1)</li> <li>Appropriate description of how to reduce the risk (1)</li> </ul>		<b>2</b> exp

Question Number	Answer	Additional Guidance	Mark
2c i	• correct selection of data/ration Step 1 = $60 \div 16$ OR 3.75 Step 2 = $4 \div 20$ OR 0.2		
	<ul> <li>both ratios correct and divided correctly</li> </ul>	Odds ratio = 3.75 ÷ 0.2 OR 18.75	
		19 (not 19.0)	
	<ul> <li>correct final odds ratio</li> </ul>	Correct answer gains 3 marks ECF for MP2 and answer to	
		2sig fig if data/ratio	3
		incorrect	exp

Question Number	Answer	Additional Guidance	Mark
2cii	<ul> <li>The cactus plants are found growing in association with the mimosa/ tree</li> </ul>	Ignore text lifted from the question without qualification	1 exp

Question Number	Answer	Additional Guidance	Mark
2di	An answer that includes two of the following points:	Only mark the first response on each line	
	Abiotic  Temperature (1)  pH (1)		
	• water content (1)	Accept soil moisture	
	mineral content/salinity (1)	Accept soil stucture/compaction/depth/oxygen /carbon dioxide content	2
			ехр

Question Number	Answer	Additional Guidance	Mark
2dii	<ul> <li>results are not valid / description of expected effect on the dependent variable (1)</li> </ul>	Description of effect must be directional eg increase temperature increases enzyme activity	
			1 exp

(Total for question 2 = 10 marks)

Question Number	Answer	Additional Guidance	Mark
3a	<ul> <li>There is no (significant)         difference between the         number of pupae from the         untreated (A) and treated         culture (B) medium</li> </ul>	Ignore eggs hatched	1
			ехр

Question Number	Answer	Addition	al Guidance	Mark
3b		Number of	pupae	
		A/untreated	B/treated	
		72	45	
		68	56	
	and table table formers with	81	39	
	<ul> <li>suitable table format with data correct column headings (1)</li> <li>means correctly calculated (1)</li> </ul>	56	40	
		43	29	
		52	38	
		60	35	
		64	46	
				2
		Mean 62	Mean 41	exp

Question Number	Answer	Additional Guidance	Mark
3c			
	<ul> <li>bar graph with linear scale</li> </ul>	<b>mean</b> number of	
	and labels (1)	pupae/culture or	
		treatment/ A B.	
	<ul> <li>means plotted correctly (1)</li> </ul>	y axis must start at zero	
		ALLOW ECF for incorrect	
	<ul> <li>range bars plotted correctly</li> </ul>	means from 3bi	
	(1)		
		Range bars <b>81-43 56-29</b>	3
			ехр

Question Number	Answer	Additional Guidance	Mark
3di	<ul> <li>correct substitution of given (S<sub>A</sub>)<sup>2</sup> and (S<sub>B</sub>)<sup>2</sup> (1)</li> <li>correct answer (1)</li> </ul>	ECF allow use of incorrect means Correct square root reduces to 5.109  t = 4.11 (4.1) Correct answer only gains 2 marks accept additional decimal places	2 exp

Question Number	Answer	Additional Guidance	Mark
3d ii	<ul> <li>the calculated value of t (4.11) is more than the critical value 2.14 (1)</li> <li>therefore reject the null hypothesis there is a difference between the treated and untreated groups (1)</li> </ul>	Allow ECF from 3di if calculated value is less than stated critical value Accept critical value of 2.98	2 exp

Question Number	Answer	Additional Guidance	Mark
3e	An answer that includes two of the following points:  • use other masses of pyrethrum (1)	ignore repeat the expt/amount accept concentration/volume	
	<ul> <li>leave adults to lay eggs for more than 24 hours (1)</li> <li>Leave eggs for more than 5 days (to see if more hatch/pupate) (1)</li> </ul>	accept more time	
	(to see if more materingapate) (1)		2 exp
Question Number	Answer	Additional Guidance	Mark
3f	An answer that includes two of the following points:  • Pyrethrum/concentration/ mass may have no effect on the flies/flies resistant (1)  • Pyrethrum may be washed/blown off fruits (1)  • pyrethrum may not reach eggs (1)  • fruit damaged by {being eaten/pests/weather} (1)	accept flies become resistant  Fruit skin might prevent pyrethrum entering fruit	
			2 exp

(Total for question 3 = 14 marks)

Question Number	Answer	Additional Guidance	Mark
4a	A description that includes two of the		
	following points:	A method to provide	
	<ul> <li>find a suitable mass/age of leaves/concentration of extract/method of extraction (1)</li> </ul>	quantitative results	
	<ul> <li>find a suitable temperature/pH/medium/time/species of bacteria (1)</li> </ul>		
	<ul> <li>find suitable method to measure {inhibition/antibacterial effect} (1)</li> </ul>		
			Exp 2

Question Number	Answer	Additional Guidance	Mark
4b	An answer that includes nine of the following points:	Ignore amount ALLOW different valid methods.	
	<ul> <li>clear statement of the dependent variable e.g.zone of inhibition (1)</li> </ul>		
	<ul> <li>description of method of preparation of extract (1)</li> </ul>		
	<ul> <li>method of preparing bacterial lawn/broth/pour plate (1)</li> </ul>	Wells/discs/drop in	
	method of applying extract (1)	broth/serial dilution/put on agar	
	<ul> <li>detail of measuring dependent variable (1)</li> </ul>	e.g. ruler/grid/different orientations	
	description of aseptic technique (1)	ignore taping dishes	
	use of a control for comparison (1)		
	<ul> <li>Incubate at <b>stated</b> temperature (1)</li> </ul>	But not more than 30°	
	two variables that need to be controlled (1)	e.g. temperature/pH/incubation time/size of	
	<ul> <li>method of control of <b>one</b> named variable (1)</li> </ul>	disc/medium/species of bacteria/source/mass of leaves	
	<ul> <li>repeat the whole experiment to calculate (mean) and SD/error bars (1)</li> </ul>	accept to measure variability of data	
			9
			exp

Question Number	Answer	Additional Guidance	Mark
4c	An answer that includes the following points:  • table for collecting raw data with headings and units with means calculated from repeats (1)	accept with several concentrations description of mean calculated in text or mean on one graph label	
	bar graph format with labelled axes (1)	accept line graph if several concentrations used	
	use of an appropriate     statistical test (1)	Accept a (named) correlation test with line graph a test for difference if bar graph	3 exp

Question Number	Answer	Additional Guidance	Mark
4d	An answer that includes two of the following points:  • difficult to measure distances/diameters/ZOI with precision (1)	Accept errors in use of colorimeter	
	<ul> <li>only tested against one species of bacteria (1)</li> </ul>	Accept the bacteria used might be resistant	
	contamination (1)	Accept conditions might not be aseptic Ignore ref to pathogens	
	<ul> <li>bacteria cultured in aerobic conditions and gut is anaerobic or not cultures at human body temperature (1)</li> </ul>	ignore rer to patriogeris	2 exp

(Total for question 4 = 16 marks)