

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

9700 BIOLOGY

9700/23

Paper 2 (AS Structured Questions), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	23

Mark scheme abbreviations:

- ; separates marking points
- *I* alternative answers for the same point
- R reject
- A accept (for answers correctly cued by the question, or by extra guidance)
- **AW** alternative wording (where responses vary more than usual)
- **<u>underline</u>** actual word given must be used by candidate (grammatical variants excepted)
- max indicates the maximum number of marks that can be given
- ora or reverse argument
- **mp** marking point (with relevant number)
- ecf error carried forward
- I ignore

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	23

1 (a) capillary;

2

• • •		
	<i>plus one of</i> ref. to size relative to size of red blood cell (in lumen); A small diameter / narro <i>capillary correctly identified</i> (wall is) one cell thick; A ref. to, only one layer / only endothelium / thin endothe	
(b)) (i) red blood cell / erythrocyte; A red blood corpuscle	[1]
	(ii) water ; A plasma	[1]
	(iii) nucleolus ; A nucleus	[1]
(c)) if working shown, award one mark only if measurement is incorrect 7 (μm) ;;	
	one mark if correct working is shown but answer not to whole number or incorrec used	ct conversion
	$39 \text{ mm} / 6000 \text{ A} \pm 1 \text{ mm}$ in measurement	[2]
		[Total: 7]
? (a)) potometer ; A transpirometer R photometer R spirometer	[1]

(b) *idea that* water taken up may not all be lost in transpiration / transpiration is water loss (as water vapour) from (aerial parts / leaves, of) the plant ;

example of use of water taken up ;; e.g. photosynthesis hydrolysis reactions maintaining turgidity / AW cell, elongation / increase in size

ref. to water uptake rate and transpiration rate differing because of (changing) environmental conditions; **A** examples e.g. higher transpiration rate than uptake rate in hot and dry external conditions [max 2]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	23

- (c) (i) if no mp 1 <u>and 2</u>, accept increased rate of transpiration for one mark
 - increased rate of evaporation ; A description of evaporation
 R evaporation, from leaf / from stomata / through stomata
 - 2 increased rate of diffusion ; in context of water vapour out through stomata
 - 3 (rise in temperature), lowers (relative) humidity / decreases water potential of air (outside leaf);
 - 4, 5 AVP ;; e.g. increased kinetic energy steeper water potential gradient established *in correct context* details of cohesion-tension theory linked to increased, transpiration / water uptake, rate increased rate of photosynthesis replacing water lost from cells in leaf [max 3]
 - (ii) humidity ;
 wind (speed) ; A air movements light intensity ;
 (air) pressure ;

(b) (i) facilitated diffusion;

- (d) 1 stomata (must be) open for, gas exchange / uptake of carbon dioxide; A release of oxygen
 - 2 carbon dioxide for photosynthesis ; **A** oxygen from photosynthesis (when rate exceeds rate of respiration)
 - 3 (most) water <u>vapour</u>, diffuses / AW, out, via / AW, (open) stomata ;
 A most transpiration occurs when stomata are open
 R if incorrect transport mechanism used e.g. osmosis [3]
 - [Total: 11]

[1]

[max 2]

3	(a) (i)	quarternary (structure);	[1]
	(ii)	alpha / α, helix ;	[1]

 (ii) osmosis ; increasing, ion / solute, concentration in lumen (of intestine) lowers water potential ; ora water follows, from a high(er) to a low(er) water potential / down a water potential gradient;

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	23

(c)	(i)	<i>must have ref. to organism at least once to gain max</i> bacteria / pathogen / V. <i>cholerae</i> , in faeces (of infected person) / in sewage containing faeces (from infected people) ; AW bacteria / pathogen / V. <i>cholerae</i> , ingested / taken in orally (by uninfected person), in	9
		(contaminated) food / water ; A faecal – oral route for one mark if previous two mps not given	[2]
	(::)		

(ii) general ref. to problems associated with increased numbers of people and lack of infrastructure;
 examples ;;
 e.g. problem providing, safe / uncontaminated, drinking water ;
 faeces / sewage, mixing with drinking water ; A no / poor, sanitation
 unable to practice good bygione ; A example e.g. bands not washed after defaecation

unable to practise good hygiene ; **A** example e.g. hands not washed after defaecation infected people sharing latrines with uninfected / AW ;

lack of, medical care / treatment, leading to larger pool of infected people (at any one time)

lack of, health services / drugs / antibiotics / ORT / skilled personnel unable to supply sufficient vaccines lack of food / poor diet, so vaccines less effective

credit relevant examples linked to a particular type of disaster [max 2]

```
[Total: 10]
```

- 4 (a) 1 important in contributing to 3-D structure of molecule / AW;
 - 2 many hydrogen bonds so, gives stability / strands not easily separated / long lasting ; AW
 - 3 (individual) hydrogen bonds (more) easily broken (than covalent bonds); **A** hydrogen bonds weak / hydrogen bonds can be broken

consequence

- 4 (so strands can be separated) for (DNA) replication ; A description
- 5 (so strands can be separated) for (DNA) transcription; A description
- 6 hydrogen bonds only form between, specific bases / named base pairs, so, few mistakes / faithful replication / AW ;
- 7 *idea that* hydrogen bonds can easily re-form (without chemical reaction); [max 4]
- (b) P = transcriptionQ = translation ;

[1]

	Page 6		5	Mark Scheme: Teachers' version	Syllabus	Paper
				GCE AS/A LEVEL – May/June 2012	9700	23
	(c)	(i)	sequence will not (spontaneously) change / AW; A decreases chance of m (so) gene products / proteins, produced will always be functional; maintains all, genetic information / AW, throughout life of cell; same, genetic information / AW, passed on to, daughter cells / offspring; AVP; e.g. maintains size so still enclosed within nucleus			mutation [max 2]
		(ii)	allow ref. t ref. t	slation / protein synthesis, will stop when mRNA breaks vs re-use of nucleotides (for other mRNA) ; to control of gene expression ; A prevents too much p to control of cell activity / fast response to changing rqu to efficiency in energy use ;	product forming	[max 2]
						[Total: 9]
5	(a)	1 2 3 4 5 6	antig antig conte R pa deta shap	vaccines contain antigens ; gens are (mostly), proteins / glycoproteins ; gens, denatured by heat / not denatured by radioactivity ext of antigenic proteins arasite is denatured il e.g. loss of tertiary structure / bonds break ; be to be maintained for specificity of immune response ?; e.g. ref. to production of memory cells (for immunity)	/ AW ;	natured <i>in</i> [max 3]
	(b)	1 2	A no	form of, pathogen / parasite, free / exposed, in plasma ot inside cells ond form of, pathogen / parasite, concealed / hidden, in		cells;
		3		either mp 2 or 3 to degree of exposure to antibodies / lymphocytes		
		4	<i>idea</i> fewe	<i>that</i> est number of parasites to destroy / earlier defence alw	ays more effectiv	/e ;
		5		sination against form leaving liver would, not protect ag	ainst liver invasio	on / still cause
		6		damage ; ; e.g. suggestion that first form of parasite is easier to	harvest	[max 3]
	(c)	1 2 3 4 5 6 7	 antigen presentation / described ; clonal selection / described ; e.g. A specificity to malarial antigen clonal proliferation / B-lymphocyte division by mitosis / AW ; A B cell detail of changes occurring from B-lymphocyte to plasma cell ; B-lymphocytes / B cells / plasma cells, produce antibody ; correct ref to role of T_h cells in context ; 			[max 5]
						[Total: 11]

Page 7		Mark Scheme: Teachers' version	Syllabus	Paper		
		GCE AS/A LEVEL – May/June 2012 9700	9700	23		
6 (a) (i)	<i>habi</i> loca char prod	<i>3 if no reference to examples in passage</i> <i>itat</i> tion / place / area <i>or</i> (type of) local / AW, environmen racterised by, its physical features / the freshwater env lucers; re, an organism / a population, lives ;		minant		
	<i>community</i> all populations of all species / AW ; within a specified area / AW, at a particular time ;					
(ii)	phyt	oplankton ;		[1]		
(iii)	acce	ept plants for phytoplankton				
	2 3 4 5 6 7	photosynthetic / carry out, photosynthesis / carbon fixa conversion of light energy to chemical energy ; equation ; have light-absorbing pigments ; A chlorophyll ref. to independence <i>or</i> dependence of other organism ref. to input of energy to ecosystem ; base of the food chain(s) / first trophic level / AW ; A primary consumers	ns ; in context of	energy		
(b) (i)	in, e in ex	<i>rgy losses</i> gestion / faeces / undigested material ; ccretion; A urine / urea from respiration;				
	ref. ı	<i>rgy other uses</i> maintenance ;; e.g active transport / metabolic reaction muscle contraction / movement ;	ns / digestion	[max 3]		
(ii)	more mov	one valid suggestion e.g. e confined space so less movement ; e more so greater energy loss (through respiration / as e predators so use more energy escaping from them ;	sheat);	[max 1]		
				[Total: 12]		